

Shortcode “captina_product” Usage

The `captina_product` shortcode enables you to create gateway pages to showcase individual product(s), using the information from the database.

Usage is consistent with other shortcodes (line breaks are for clarity):

```
[captina_product element="{element}"
  cat_id="{cat_id}"
  sku="{sku}"
  store_name="{store name}"
/]
```

The parameter `element` is required in all cases. You must also include *either* the `cat_id` or `sku` parameter (except when requesting a custom-field’s label, since labels apply across all catalog items).

When you are requesting price information (see below), you may optionally include the `store_name` parameter to force the returned price to be specific to a particular store-pricing level; if absent, then the item’s base price will be returned.

The acceptable elements and their details are as follows:

Element	Return Value
<code>add_item_button</code> <code>add_item_div</code>	Generates element to add item to cart. The returned value is either a <code><button></code> or <code><div></code> tag with an <code>onclick</code> handler set to <code>lz_addToCart({cat_id})</code> ; The prompt is the Add to Cart prompt set in Admin->Store Operation. Note that this automatically includes the required javascript.
<code>cat_id</code>	Internal unique identifier for an item. Note that this may be found at the top of the Core Information section, on the right.
<code>cart_num_skus</code>	Returns a <code></code> tag with id <code>cart_num_skus</code> , containing the number of SKUs in the cart. If this tag is present on a page, the <code>innerHTML</code> is updated automatically by the <code>lz_addToCart()</code> javascript function.
<code>custom_1 ...</code> <code>custom_12</code>	The contents of the associated custom field from the Romance Copy section of the item. This is HTML content.
<code>description</code>	Title of item.
<code>image</code> <code>thumbnail</code>	The filename, with path, for the Image or Thumbnail file for the item. This can be used in the <code>url()</code> component of a <code>background-image</code> style, or in the <code>src=""</code> of an <code></code> . If blank, the Default Image file from Admin->Catalog will be used.

label_1 ... label_12	The label for the associated field in the Romance Copy section of the item. The labels are in Admin→Catalog.
label_if_data_1 ... label_if_data_12	If the Element is of the <code>_if_data</code> form, the label will return a blank if the underlying custom field is empty.
overview	The Overview section of the item. This is HTML content.
package_size	The Package Size from the item. If blank, the return value will be “each”.
pdf_download_button pdf_download_span	An HTML element to trigger a download of an available tech sheet, if the Downloadable Spec Sheet field is populated in the item record. The return value is contained in either a <code><button></code> or a <code></code> tag, with the visible text from the Download Datasheet setting in Admin→Store Appearance.
price_span price_span_cents	Item price per unit, either rounded to the nearest dollar, or including cents. The returned string is comma-formatted (e.g. 1,234 or 1,234.56). Note: uses Base Price, unless the optional <code>store_name</code> parameter is passed in.
qty_field	Field for indicating the number of units for the cart. It returns either an <code><input></code> field or, if the item has a custom quantities list, a <code><select></code> field. NOTE: if the Item is sold out, then it will return the “Sold Out” string from the Admin→Store Appearance section rather than a field.
section	The name of the Catalog Section of the item.
sku	The unique string identifier for the item (not case sensitive).